1976 INDEX

Aflatoxins, sound pecan shells prevent. Aug–16
Agricultural advances, edit. Jul–2
Agriculture and life, edit. May–2
Alfalfa:
- **Aphid-resistant varieties. Oct–6**
- **Partial field drying saves fuel. Dec–3**
- **Prevents water pollution in feedlots. Feb–15**
- **Smog decreases yield. Nov–3**

Almond orchards, control of naval orangeworm. May–16
Aphids transmit soybean mosaic. Feb–14
Apples:
- **Automated method for juicing. Aug–16**
- **Carbon dioxide increases storage life. Feb–12**

Arsenic, some essential for healthy rats. Mar–16
Awards:
- **To super slurper by *Industrial Research*. Jan–12**
- **USDA service. Jul–14**

Beans, within-row irrigation saves water. Jan–14
Bees:
- **Electrical charges affect pollination. Dec–15**
- **Feeding device for individual bees. Aug–10**
- **Vibrating hive slows bees. Nov–11**

Biological control:
- **BT protects stored grain from Indian meal moth. May–6**
- **Chicken louse controlled by fungus. Mar–12**
- **Encapsulating NPV. Dec–17**
- **Fungus kills curly indigo. Jan–10**
- **Grasses control reed canarygrass. Oct–13**
- **Growth regulation of pink bollworm. Jun–8**
- **Insect girdles mesquite. Dec–16**
- **Larvae of *Nymphula* moth eat Hydrilla. May–14**
- ***Nosema locustae* attacks grasshoppers. Jan–5**
- **Wasp suppresses housefly. Apr–8**

Birch, extinct species found. May–14
Blue grama grass reclaims abandoned croplands. Jan–6
Botulism prevented by proper canning. Aug–12
Bovine leukemia may be transmissible to man. Mar–15
Bread:
- **Enriched with fiber, aids diets. Jun–14**
- **Modification reduces test baking. Feb–15**

Breeding, late-season best for drylot ewes. Mar–14

Carbon dioxide:
- **Aids stored apples, Feb–12**
- **Kept in greenhouse via new cooling system. Mar–16**

Cattle:
- **Experimental vaccine for BVD. Sept–14**
- **Index for selecting sires. Sept–5**
- **Mycoplasmas may cause abortion. Sept–3**
- **Ticks stopped by ear tag. Nov–15**
- **Weak calf syndrome, more than one cause. Mar–3**

Cattle, beef:
- **Best ration depends on cattle type. Nov–14**
- **Forage–fed weaner calves are heavier. Mar–5**
- **Genetic study of cattle types. Dec–6**
- **Housed-cattle waste used as cattle food. Aug–5**
- **Nutritious feed from spine-singed cactus. Mar–14**
- **Roughage from cottonseed hulls. Dec–7**
- **Separating genetic from environmental differences. Apr–11**

Cattle, dairy:
- **Computer, a management tool. Feb–6**
- **Mechanical exerciser improves health. Aug–14**

Celiac disease:
- **Rice, instead of wheat, bread. Jun–6**
- **Victims may someday eat wheat. Apr–12**

Cherries:
- **Codling moth control. Sept–11**
- **Separated from stem by chemical. Oct–16**

Clover, screening procedure for leaf spot. May–15
Cold resistance mechanism of plants studied. Jan–8
Composted sewage sludge good for soil. Feb–7
Corn, frost injury linked to bacteria. Dec–8
Cotton:
- **Cattle feed from cottonseed hulls. Dec–7**
- **Lines resist tobacco budworm. Oct–15**
- **Pink bollworms' growth regulated. Jun–8**
- **Prototype textile processing system. Sept–8**

Disease research:
- **Barley stripe mosaic virus. Oct–15**
- **Bluetongue virus, new serotype, Oct–16**
- **Bovine leukemia, transmissible to man? Mar–15**
- **BVD experimental vaccine. Sept–14**
- **Celiac disease and protein in wheat. Apr–12**
- **Chemical reaction in rumen detoxifies. Nov–11**
- **Clyindrocladium black rot of peanuts. Nov–15**
- **Core-rot of carrots. Apr–16**
- **Curly top-resistant tomatoes. Jul–15**
- **Diagnostic test and vaccine for ornithosis. Nov–12**
- **Downy mildew-resistant sunflower. Jun–15**
- **EIA control by phenolic compounds. Sept–11**
- **Foot-and-mouth disease vaccine. Aug–7**
- **Green mold and citrus fruit. May–3**
- **Maize weevil. Feb–5**
- **Porcine parvovirus infection. Aug–15**
- **Shipping sterile disease plant material. Sept–16**
- **Sleepy grass and cattle. Jan–16**
- **Soybean mosaic transmitted by aphids. Feb–14**
- **Weak calf syndrome, more than one cause Mar–3**
- **Yellow sorghum stunt, new disease. Jul–16**

Ecosystem monitored on micro-scale. Jan–16
Editorials:
- **Agricultural advances. Jul–2**
- **Agriculture and life. May–2**
- **Canning tomatoes safely. Aug–2**
- **Forage for livestock benefits people. Jan–2**
- **Genetic vulnerability. Oct–2**
- **Grass, its many gifts. Mar–2**
- **Insects—friends and pests. Jun–2**
- **Minimum tillage. Feb–2**
- **Plants essential to quality environment. Apr–2**
- **Signs of autumn. Sept–2**
- **Thanksgiving dinner is nutritious. Nov–2**
- **Wind, a source of energy. Dec–2**

Engineering:
- **Automated method for juicing apples. Aug–16**
- **Cattle care by computer. Feb–6**
- **"Closed" cooling system keeps CO_2 in greenhouse. Mar–16**
- **Cooling equipment for bell peppers. Sept–12**
- **Device measures subsurface water movement. Dec–13**
- **Dust-control problems in handling grain. Jul–10**
- **Grain spreaders. Feb–3**
- **Improved mechanical fruit tree planter. Oct–3**
- **Mechanical exerciser for dairy cattle. Aug–14**
- **Pears benefit from shake-pruning. Jun–14**
- **Pecan shelling improved by steaming. May–12**
- **Prototype textile-processing system. Sept–8**
- **Sewage sludge improves soil. Feb–7**

Solar drying permits double-cropping. Jun–15

Environment:
Betual uber, "extinct" birch found. May–14
Composted sewage sludge improves soil. Feb–7
Quality depends on plants, edit. Apr–2
Starch-encapsulated chemicals. Nov–6
What happens to herbicides? Aug–6
Wind, a source of energy, edit. Dec–2

Erosion:
Controlled by no-tillage farming. Jun–5
Streambanks stabilized with willows. Jun–11

Flour, extended milling gives more flour. Mar–10

Forage:
Blue grama promising for abandoned croplands. Jan–6
Feed from spine-singed cactus. Mar–14
Food for livestock and people, edit. Jan–2
Sampling technique for species. Jun–3
Sleepy grass can control cattle. Jan–16

Fungicides stop dropped citrus fruit decay. May–3

Genetics, animal:
Assessing beef cattle genetic resources, edit. Dec–6
Measuring genetic variation of beef cattle. Apr–11

Genetics, plant:
Germ plasm and genetic vulnerability. Oct–2
Improved protein in durum wheats. Apr–6
Twin-seeded sorghum hybrids yield less. Nov–16
Wheat varieties resist Hessian fly and cereal leaf beetle. Jul–3

Grape varieties resist Pierce's disease. Nov–7
Grapefruit, sheepnose study. Apr–14
Grass, countless benefits, edit. Mar–2

Halogeton, oxalate, and sheep. Apr–14

Herbicides:
Cold resistance may be substitute. Jan–8
How does perfluidone work? Feb–13
Metabolism study. Aug–6

Housefly suppressed by wasp. Apr–8

Hymenovin, poison common to 3 rangeland weeds. Oct–12

Insecticides:
Alternatives for protecting stored rice. Jun–16
Experimental insecticides protect stored foods. Mar–15
Methoprene effective against horn fly. Jan–11
Pyrethrins mothproof wool. Jan–16

Insects:
Bees controlled by vibrating hive. Nov–11
Beet armyworm, mathematical model. Oct–11
Blue alfalfa aphid-resistant alfalfa varieties. Oct–6
Boll weevil, simplified sexing. Sept–6
Cereal leaf beetle-resistant wheat. Jul–3
Chicken louse debilitated by fungus. Mar–12
Codling moth control in cherries. Sept–11
Friends and pests, edit. Jun–2
Grasshoppers eat *Nosema locustae* and die. Jan–5
Hessian fly-resistant wheat varieties. Jul–3
Horn fly controlled by methoprene. Jan–11
Horn fly susceptible to TH–6040. Jul–11
Housefly controlled by wasp. Apr–8
Indian meal moth losses to BT. May–6
Lice diets determined. Jul–15
Maize weevil, Arkansas strain. Feb–5
Mosquito control by growth regulators. Dec–14
Navel orangeworm control program. May–16
Pink bollworm growth regulated. Jun–8
Stable fly susceptible to Dimilin. Jul–11
Stored grain pests' growth inhibited. May–15
Stored grain pests suppressed by tricalcium phosphate. Jul–16
Ticks stopped by ear tag on cattle. Nov–15
Tobacco budworm-resistant cotton lines. Oct–15

Irrigation:
System improved by controlling reed canarygrass. Oct–13
Within-row technique saves water. Jan–14

Marketing:
Carbon dioxide aids stored apples. Feb–12
Chemical separates cherry from stem. Oct–16
Experimental insecticides better protection than malathion for stored food. Mar–15
Grain spreaders. Feb–3
Heat keeps raisins soft. Sept–16
Sheepnosed grapefruit cause studied. Apr–14

Meat:
Lamb steaks from nonprimal cuts. Jun–7

Mechanical harvesting:
Pear trees pruned with shakers benefit. Jun–14

Mothproofer, pyrethrins protect wool. Jan–16

Mycoherbicide controls northern jointvetch. Dec–13

Mycorrhizae:
Cut need for fertilizer? Dec–16

Nutrition, human:
Arsenic may be essential. Mar–16
Celiac victims can eat rice bread. Jun–6
Excess protein causes osteoporosis. Nov–5
Fiber need met by fiber-enriched bread. Jun–14
Grain diet requires added vitamin C. Mar–13
Thanksgiving dinner is nutritious, edit. Nov–2
Whey-enriched macaroni has more protein. Apr–3
Zinc available from legumes. Jan–3

Peanuts, quick method for hybridizing. Aug–15
Pears benefit from shake-pruning. Jun–14
Peas, quick check for root rot. Jan–15

Pecans:
New process aids shelling. May–12
Sound shell bars fungus. Aug–16

Pesticides:
Encapsulated by starch. Nov–6
New and less hazardous. Jun–12

Photosynthesis:
Soybean yield increased. Feb–14
Used to produce hydrogen from water. Jul–7

Plant stress predictors. Apr–15

Pollution:
Alfalfa safeguards ground water. Feb–15
Recovering copper from effluents. Oct–14
Smog reduces alfalfa yield. Nov–3

Poultry:
Chicken louse control with fungus. Mar–12
Diagnostic test and vaccine for ornithosis. Nov–12

Public Law 480 research:
Grain diet requires added vitamin C. Mar–13
Hydrilla controlled by larvae. May–14
Soybeans as substitute for petroleum. Jul–6
Sunflower breeding program. Oct–10

Rice:
Curly indigo control by fungus. Jan–10
Large loss of stored rice to insects. May–13

Root rot—peas aided by rapid screening technique. Jan–15

Safety:
Canning tomatoes, edit. Aug–2

Seeds:
Life of weed seeds in soil. Apr–15

Sheep:
Grazing on halogeton. Apr–14
Late-season breeding of drylot ewes. Mar–14
Three forage species have same toxic constituent. Oct–12

1977 INDEX

Alfalfa:
Harvest reduces alfalfa root weight. Feb–16
Parasites sought for alfalfa weevil. Apr–20
Animal feed:
Apple pomace—not a good mix with non-protein nitrogen. Jun–7
Feed from straw. Mar–3
Kleingrass, good only for cattle. Jun–15
Animal science:
Larger lambs, more efficient. Nov–11
Awards:
USDA service. Aug–14

Bees:
Manipulating nature—*Apis Mellifera*, edit. Aug–2
Moving bees reduces honey. Jan–15
Non-apis bees—the pollinators. Aug–12
Protecting bees from insecticides. May–16
Soybean seen as possible source of nectar. Apr–18
Storing honey-bee sperm. Feb–12
Biological control:
Pakistani moth controls Russian-thistle. Feb–8
Bisulfate catalysts:
Used in durable-press finishes. Feb–6
Bollworm:
Toward natural resistance of bollworm. Jul–3
Botulism:
Rumen bacteria and botulism. Oct–15
Bread:
Extended extraction flour makes good bread. Jan–16
Flour from germinated soybeans improves nutrition. Mar–13
Broilers:
Airsacculitis affects chickens. Sept–12
Controlled lighting affects broiler production. May–20
Protein from poultry excreta fed to lambs. Feb–14
Raising broilers with less fuel. Jul–6
Raising broilers with solar heat. Jul–6

Cancer:
Japanese plum-yew tree, potential leukemia inhibitors. Aug–3
Plant samples supplied for cancer research. May–8
Cantaloups:
Damage to cantaloups and honeydews. Aug–16
Carbon dioxide:
Saves grapefruit. Mar–11
Cattle:
Crooked calf disease. Sept–16
Importance of zinc to cattle. May–19
Kleingrass, good only for cattle. Jul–15
Vehicle transports disease-exposed cattle. Sept–6
Cattle, dairy:
Computers—new aid to dairymen at feeding time. Sept–8
Significance of dairy cows, edit. Oct–2
Understanding mastitis susceptibility. Oct–12
Cattle, feed utilization:
Ronnel increases gains in cattle. Mar–16
Chickens:
Airsacculitis affects chickens. Sept–12
Controlled lighting affects broiler production. May–20
Protein from poultry excreta fed to lambs. Feb–14
Raising broilers with less fuel. Jul–6
Raising broilers with solar heat. Jul–6
Chlorine:
May aid irrigators. Feb–11
Prevents rot in tomatoes. Oct–8
Cotton:
Energy from cotton gin waste. Apr–3
Model air cleaner for cotton mills. Sept–3
Nectariless cottonseed. Nov–15
Noise problem of cotton gins. Nov–14
Semigamy aids cotton research. Oct–6
Coyotes:
Complex challenge of coyotes, edit. Nov–2
New fence protects sheep from coyotes. Nov–8

Disease:
Crooked calf disease. Sept–16
"Transfer factor," key to disease control. Jul–7
Vehicle transports disease-exposed cattle, Sept–6
Disease research:
Crooked calf disease. Sept–16
Flu pandemics. Oct–11
Japanese plum-yew tree, potential leukemia inhibitors. Aug–3
Oak wilt disease studied. May–15
Paratuberculosis control. Nov–5
Plant samples supplied for cancer research. May–8
Rat bioassay estimates larkspur toxicity. Jan–16
Rumen bacteria and botulism. Oct–15
Understand mastitis susceptibility. Oct–12
Downy mildew:
Damage to cantaloups and honeydews. Aug–16

Editorials:
Chemical components of foods. Jan–2
Complex challenge of coyotes. Nov–2
Gardener's reveries. Feb–2
Geometric designs in plants. Mar–2
Helping others to help us—and themselves. Sept–2
Identity: The key to insect control. May–2
Manipulating nature—honey bees. Aug–2
Manipulating nature—weeds. Jul–2
Promise of spring. Apr–2
Significance of dairy cows. Oct–2
Soil, a basic treasure. Jun–2
Electricity:
Electric fence protects sheep from coyotes. Nov–8
Power for irrigation may be temporarily cut. Jan–6
Elm:
Growth retardants studied for elm and sycamore. Sept–11
Energy:
Energy from cotton gin waste. Apr–3
Power for irrigation may be temporarily cut. Jan–6
Recovering and reusing heat. May–13
Engineering:
"Cluster busting" trash remover developed. Jul–14
Computer—new aid to dairymen at feeding time. Sept–8
Cooling with sea air. Jun–12
Mechanical harvester speeds operation. Mar–14
Model air cleaner for cotton mills. Sept–3
Recirculating sprayer tested. Apr–18
Recovering and reusing heat. May–13
Vehicle transports disease-exposed cattle. Sept–6

Environment:
Model air cleaner for cotton mills. Sept–3
Noise problem of cotton gins. Nov–14
Erosion:
Annual grasses protect against soil erosion. May–19
Erosion in the Tarkio river system. Apr–8
Estimating wind erosion. May–7
Fertilizer:
Manure used as fertilizer for sorghum. Oct–15
Flies:
Hormonal regulation of house flies. Nov–12
Flour:
Extended extraction flour makes good bread. Jan–16
Germinated soybeans improve nutritive value of bread. Mar–13
Milling process improves wheat flour. May–14
Fruit:
Damage to cantaloups and honeydews. Aug–16
Drying—a way to store fruits. Jul–15
Mechanical harvester speeds operation Mar–14
Pecan harvester for small orchards. Nov–15
Shaping up fruit trees. Aug–6
Stretching apples into shape. May–20
True blue blueberries. Dec–10
Ultra low volume protects apple orchards. Jun–6

Garden:
Gardener's reveries, edit. Feb–2
Genetics, animal:
Artificial insemination reaches landmark. Jun–13
Selectively bred swine. Dec–10
Genetics, plant:
Cold tolerant sugarcane. Nov–16
Genetic research of sugar beets. May–18
Possible answer to sugar beet pathogens. Dec–6
Semigami aids cotton research. Oct–6
Somatic hybridization. Nov–3
"Sweet Sue," impatiens hybrids developed. Feb–16
Germplasm:
Wild sunflowers provide germplasm. Jun–14
Grapefruit:
Carbon dioxide saves grapefruit. Mar–11
Grapes:
Storing by freezing. Jan–5
Grass:
Annual grasses protect against soil erosion. May–19

Harvester:
Pecan harvester for small orchards. Nov–15
Herbicides:
"Heliocides" tested against bollworm and budworm. Apr–19
Herbicide drift may cause soybean contamination. Dec–8
Recirculating sprayer tested. Apr–18
Honeydews:
Damage to cantaloups and honeydews. Aug–16

Insecticides:
Crystalline toxin kills Japanese beetle larvae. Apr–14
Insecticides tested on ticks. Oct–16
Protecting bees from insecticides. May–16
Resmethrin, applied to clothing, kills insects. Sept–5
Insects:
Ebony strain of boll weevil considered for sterile-release. Apr–19
"Heliocides" tested against bollworm and budworm. Apr–19
Hormonal regulation of house flies. Nov–12
Identity: Key to insect control, edit. May–2
Insect classification: Key to control. May–10
Know your local tick. Jun–16
Manipulating nature—*Apis Mellifera* edit. Aug–2
Mobility of weevils. Nov–14
Moving bees reduces honey. Jan–15
Non-apis bees—the pollinators. Aug–12
Pakistani moth controls Russian thistle. Feb–8
Potato scab gnat, *Psyxia scabiei*. Apr–9
Probing the corn rootworm's defenses. Jun–8
Protecting bees from insecticides. May–16
Reproductive incompatibility of almond moths. Jul–15
Research of chitin-bearing cuticle. May–3
Storing honey-bee sperm. Feb–12
Toward natural resistance of bollworm. Jul–3
Ionization:
Reduces bacteria. Jan–10
Irrigation:
Chlorine may aid irrigators. Feb–11
Increasing crop yield with subsurface drainage. Aug–15
Power for irrigation may be temporarily cut. Jan–6
Preventing emitter clogging in drip irrigation systems. Aug–8

Lambs:
Fence protects lambs from coyotes. Nov–8
Heaviest lambs most likely to survive. Mar–15
Out-of-season lambing feasible. Jan–7
Leather:
Dry cleaning leather. Mar–12
No salt used in experimental curing method. Apr–17
Lettuce:
Longer lasting lettuce. Aug–15
Lighting:
Sodium lamps, better than fluorescent. Oct–3

Marketing:
Blueberries—new industry in Gulf Coast states. Sept–15
Increasing shelf life of nuts and grains. Aug–5
Mycotoxins:
Chronic effects of mycotoxins on animals. Oct–14

Nematode:
Nematicides tested on nematodes. Oct–16
Nucleic acid:
Nucleic acid studied in plants. Apr–7
Nutrition, human:
Chemicals in human diet, edit. Jan–2

Oak:
Resistance to oak wilt disease. May–15
Oat bran:
Protein rich oat brand. Jan–5
Onions:
White rot of onions. Jan–11
Orange oil:
Used in hand cleaner. Jan–15

Peanuts:
Peanut maturity test. Jun–16
Peanuts for protein. Jul–16
Pesticides:
Pepper used as a pesticide. Jun–15
Tracing the fate of pesticides. June–13
Petroleum:
Xanthan gum used in petroleum recovery. Jan–12
Pigs:
Importing pig heart valves. Jun–14
Selectively bred swine. Dec–12
TGE transmitted by nursing sows. Feb–15
Toward stronger legs and feet. Apr–6
Plants:
Geometric designs in plants, edit. Mar–2
Japanese plum-yew tree, potential leukemia inhibitors. Aug–3
Nucleic acid studied in plants. Apr–7
Plant samples supplied for cancer research. May–8
Plant Science:
Bishops weed causes photosensitization in cattle. Sept–7
Growth retardants studied for elm and sycamore. Sept–11
Mycorhizae aids root growth. Sept–15
Simplified inoculation system for Dutch elms. Sept–14
Spearmint mutations resist wilt. Aug–5
True blue blueberries. Dec–10
Ponds:
Ponds that clean streams. Mar–8
Poultry:
Airsaculitis affects chickens. Sept–12
Controlled lighting affects broiler production. May–20
Raising broilers with less fuel. Jul–6
Protein:
Content in bread. Feb–14
Protein content of the lathyrus pea. May–17
Protein from poultry excreta fed to lambs. Feb–14
Protein rich oat bran. Jan–5
Public law 480:
Biological control of Russian thistle. Feb–8
Helping others to help us—and themselves, edit. Sept–2
Keeping life support systems going. Apr–7
Rhizobia potential. Dec–11
Saving valuable protein. May–17
Selection—a function of population size. Jul–13
ULV protects apple orchards. Jun–6

Reservoir:
Small reservoir cleans runoff. Feb–11
Rhizobia:
Rhizobia potential. Dec–11
Rice:
New process for quick-cooking rice. Apr–9
Ronnel:
Ronnel increases gains in cattle. Mar–17

UNITED STATES GOVERNMENT PRINTING OFFICE
PUBLIC DOCUMENTS DEPARTMENT, WASHINGTON, D.C. 20402

OFFICIAL BUSINESS

POSTAGE AND FEES PAID
UNITED STATES DEPARTMENT OF AGRICULTURE
AGR 101

U.S.MAIL

ARES SERIA300SGISSDUE003R 1
SERIALD PROCESSING DEPT
XEROX UNIV MICROFILMS
300 N ZEEB RD
ANN ARBOR MI 48106

Roots:
Harvest reduces alfalfa root weight. Feb–16

Saltgrass:
Reclaiming saltgrass pastures. Jan–3
Scorpion:
Insecticides for scorpions. Mar–15
Sheep:
Fence protects sheep from coyotes. Nov–8
Heaviest lambs most likely to survive. Mar–15
Larger lambs more efficient. Nov–11
Out-of-season lambing feasible. Jan–7
Protein from poultry excreta fed to lambs. Feb–14
Sludge:
Trenching sludge may be safe. Apr–20
Triples bean yield. Feb–15
Sorghum:
Developing phosphorus-efficient sorghum. Aug–16
Drought resistance in sorghum. Dec–3
Smut:
Recognizing smut. Nov–16
Sodium lamps:
Sodium lamps better than fluorescent. Oct–3
Soil:
Basic treasure underfoot, edit. Jun–2
Soil and water:
Annual grasses protect against soil erosion. May–19
Circle plow "waffles" semiarid land for increased water infiltration. May–6
Erosion in the Tarkio river system. Apr–8
Estimating wind erosion. May–7
Irrigating on the dead level. Jul–8
New method assesses soil fertilizer needs. Sept–16
Ponds that clean streams. Mar–8
Rx for fragipan soils. Jul–12
Solar heat:
New plan for solar heated house. Apr–10
Raising broilers with solar heat. Jul–6
Sorghum:
Manure used as fertilizer for sorghum. Oct–15
Sows:
Importing pig heart valves. Jun–14
Selectively bred swine. Dec–12
TGE transmitted by nursing sows. Feb–15
Soybean:
Flour from germinated soybean improves nutrition in bread. Mar–13
Seen as possible source of nectar. Apr–18
Toward natural soybean oil. May–9
Storage:
Cooling with sea air. Jun–12
Drying—a way to store fruits. Jul–15
Increasing shelf life of nuts and grains. Aug–3
Longer lasting lettuce. Aug–15
Storing by freezing. Jan–5
Straw:
Feed from straw. Mar–3
Streams.
Ponds that clean streams. Mar–8
Strip mining:
Effects of strip mining on watersheds. Feb–3
Subsurface drainage:
Increasing crop yield. Aug–15
Sugar beets:
Genetic research on sugar beets. May–18
Genetic resistance possible answer to pathogens. Dec.–6
Recovering more $$ from sugar beets. Aug–11
Sulfur controls powdery mildew on sugar beets. Mar–11
Sugarcane:
Cold tolerant sugarcane. Nov–16
New planting technique for sugarcane. Jun–15
Partially frozen sugarcane recovers. Feb–15
Sulfur:
Sulfur controls powdery mildew on sugar beets. Mar–11
Sunflowers:
Oil from sunflowers. Mar–6
Sunflowers succeed in drought conditions. Jun–7
Wild sunflowers provide germplasm. Jun–14
Swine:
Importing pig heart valves. Jun–14
Selectively bred swine. Dec–12
TGE transmitted by nursing sows. Feb–15
Sycamore:
Growth retardants studied for elm and sycamore. Sept–11

Textiles:
Bisulfate catalysts used in durable-press finishes. Feb–6
Ticks:
Effectiveness of insecticides tested on ticks. Oct–16
Tomatoes:
Chlorine used to prevent rot in tomatoes. Oct–8
Trees:
Growth retardants studied for elm and sycamore. Sept–11
Hold promise of future, edit. Apr–2
Japanese plum-yew tree, potential leukemia inhibitors. Aug–3
Mechanical harvester speeds operation. Mar–14
Resistance to oak wilt disease. Mar–15
Shaping up fruit trees. Aug–6
Simplified inoculation system for Dutch elm. Sept–14

Ultra low volume:
Ultra low volume protects apple orchards. Jun–6
Utilization:
Computerized systems match plant materials with environmental stress tolerance. Mar–16
Cooling with sea air. Jun–12
Importing pig heart valves. Jun–14

Watersheds:
Effects of strip mining on watersheds. Feb–3
Weeds:
Manipulating nature, edit. Jul–2
Weevil:
Ebony strain sought for sterile-release program. Apr–19
Parasites sought for alfalfa weevil. Apr–20
Wheat:
Alternating planting of two types wheat increases yields. Jul–16
Cropping sequence developed for northern Great Plains. Jun–5
Detecting sprouted wheat. Aug–15
Wind:
Estimating wind erosion. May–7

Xanthan gum:
Used in petroleum recovery. Jan–12

Zinc:
Importance of zinc to cattle. May–19
Way to measure zinc in food. Nov–6

When reporting research involving pesticides, this magazine does not imply that pesticide uses discussed have been registered. Registration is necessary before recommendation. Pesticides can be injurious to humans, domestic animals, desirable plants, and fish or other wildlife—if not handled or applied properly. Use all pesticides selectively and carefully.

U.S. GOVERNMENT PRINTING OFFICE : 1977 O - 249-209